



Home > View All Models > 2012 Audi Q5



Engine

	Q5 2.0 TFSI quattro Premium	Q5 2.0 TFSI quattro Premium Plus	Q5 3.2 FSI quattro	Q5 3.2 FSI quattro Premium
Type	I-4 DOHC 16V Direct Injection	I-4 DOHC 16V Direct Injection	V6 DOHC, Direct Injection	V6 DOHC, Direct Injection
Arrangement	Front Mounted, Longitudinal	Front Mounted, Longitudinal	Front Mounted, Longitudinal	Front Mounted, Longitudinal
Bore and Stroke (mm)	82.5 X 92.8	82.5 X 92.8	85.5 X 92.8	85.5 X 92.8
Displacement (cm ³)	1984	1984	3197	3197
Compression Ratio	9.6:1	9.6:1	12.5:1	12.5:1
Horsepower (SAE hp @ rpm)	211 @ 4300	211 @ 4300	270 @ 6500	270 @ 6500
Torque (lbs/ft @ rpm)	258 @ 1500	258 @ 1500	243 @ 3000 - 5000	243 @ 3000 - 5000
Fuel Grade	Premium Unleaded	Premium Unleaded	Premium Unleaded	Premium Unleaded
Emission Level	ULEV II	ULEV II	ULEV II	ULEV II

Electrical System

	Q5 2.0 TFSI quattro Premium	Q5 2.0 TFSI quattro Premium Plus	Q5 3.2 FSI quattro	Q5 3.2 FSI quattro Premium

Battery	^{A5 Cabriolet} 12 Volts 60 amp/hr	^{A5 Cabriolet} 12 Volts 60 amp/hr	^{A5 Cabriolet} 12 Volts 80 amp/hr	^{A5 Cabriolet} 12 Volts 80 amp/hr
Alternator	14 Volts 140 amp	14 Volts 140 amp	14 Volts 120 amp	14 Volts 120 amp

Drivetrain

	^{A6 Sedan} Q5 2.0 TFSI quattro Premium	^{A6 Sedan} Q5 2.0 TFSI quattro Premium Plus	^{A6 Sedan} Q5 3.2 FSI quattro	^{A6 Sedan} Q5 3.2 FSI quattro Premium
Drive Configuration	quattro All-Wheel Drive	quattro All-Wheel Drive	quattro All-Wheel Drive	quattro All-Wheel Drive
Transmission Type	8-Tiptronic®	8-Tiptronic®	6-Tiptronic®	6-Tiptronic®
1st	4.71	4.71	4.17	4.17
2nd	3.14	3.14	2.34	2.34
3rd	^{A7} 2.11	^{A7} 2.11	^{A7} 1.52	^{A7} 1.52
4th	1.67	1.67	1.14	1.14
5th	1.29	1.29	0.87	0.87
6th	1	1	0.69	0.69
7th	0.84	0.84	-	-
8th	0.67	0.67	-	-
Final Drive Ratio	^{A8} 3.76	^{A8} 3.76	^{A8} 4.22	^{A8} 4.22

Body / Suspension

	^{A8L} Q5 2.0 TFSI quattro Premium	^{A8L} Q5 2.0 TFSI quattro Premium Plus	^{A8L} Q5 3.2 FSI quattro	^{A8L} Q5 3.2 FSI quattro Premium
Steering Type	Rack and Pinion Steering with Servotronic Speed Sensitive Hydraulic Power Assist	Rack and Pinion Steering with Servotronic Speed Sensitive Hydraulic Power Assist	Rack and Pinion Steering with Servotronic Speed Sensitive Hydraulic Power Assist	Rack and Pinion Steering with Servotronic Speed Sensitive Hydraulic Power Assist
Steering Ratio	16.3:1	16.3:1	16.3:1	16.3:1
Turning Circle (m)	^{A8 W12} 11.6	^{A8 W12} 11.6	^{A8 W12} 11.6	^{A8 W12} 11.6
Suspension - Front	5-link Front Suspension	5-link Front Suspension	5-link Front Suspension	5-link Front Suspension
Suspension - Rear	Independent-Wheel, Trapezoidal-link	Independent-Wheel, Trapezoidal-link	Independent-Wheel, Trapezoidal-link	Independent-Wheel, Trapezoidal-link
Braking System	^{Q5} Dual Circuit with Diagonal Spilt, ABS, EBD, ESP and Brake	^{Q5} Dual Circuit with Diagonal Spilt, ABS, EBD, ESP and Brake	^{Q5} Dual Circuit with Diagonal Spilt, ABS, EBD, ESP and Brake	^{Q5} Dual Circuit with Diagonal Spilt, ABS, EBD, ESP and Brake

Front Brakes: Size / Type	Disc Wiping Feature 320 mm / Ventilated Disc	Disc Wiping Feature 320 mm / Ventilated Disc	Disc Wiping Feature 320 mm / Ventilated Disc	Disc Wiping Feature 320 mm / Ventilated Disc
Rear Brakes: Size / Type	300 mm / Ventilated Disc	300 mm / Ventilated Disc	300 mm / Ventilated Disc	300 mm / Ventilated Disc
Parking Brake	Electro-mechanical	Electro-mechanical	Electro-mechanical	Electro-mechanical
Drag Coefficient <small>Q7</small>	0.33	0.33	0.33	0.33 <small>Q7</small>
Body Material	Galvanized steel with aluminum elements	Galvanized steel with aluminum elements	Galvanized steel with aluminum elements	Galvanized steel with aluminum elements
Corrosion Protection	Galvanized with 12 Year Rust Corrosion Guarantee	Galvanized with 12 Year Rust Corrosion Guarantee	Galvanized with 12 Year Rust Corrosion Guarantee	Galvanized with 12 Year Rust Corrosion Guarantee

Wheels / Tires Q7 TDI

Q7 TDI

Q7 TDI

Q7 TDI

	Q5 2.0 TFSI quattro Premium	Q5 2.0 TFSI quattro Premium Plus	Q5 3.2 FSI quattro	Q5 3.2 FSI quattro Premium
Wheel Size (Standard)	8.0J x 18	8.0J x 18	8.0J x 18	8.0J x 18
Wheel Type <small>R8 4.2</small>	6-Spoke Alloy	6-Spoke Alloy <small>R8 4.2</small>	10-Spoke Alloy <small>R8 4.2</small>	10-Spoke Alloy <small>R8 4.2</small>
Tire Size	235/60 R18	235/60 R18	235/60 R18	235/60 R18
Speed Rating	H	H	H	H
Load Index	103	103	103	103

Dimensions (mm)

R8 Spyder 4.2R8 Spyder 4.2R8 Spyder 4.2R8 Spyder 4.2

	Q5 2.0 TFSI quattro Premium	Q5 2.0 TFSI quattro Premium Plus	Q5 3.2 FSI quattro	Q5 3.2 FSI quattro Premium
Length / Width (w/o mirrors) / Height	4629/ 2089 (1898)/ 1653	4629/ 2089 (1898)/ 1653	4629/ 2089 (1898)/ 1653	4629/ 2089 (1898)/ 1653
Wheelbase <small>R8 5.2</small>	2807	2807 <small>R8 5.2</small>	2807 <small>R8 5.2</small>	2807 <small>R8 5.2</small>
Track, Front / Rear	1617 / 1613	1617 / 1613	1617 / 1613	1617 / 1613
Curb weight (kg)	1855	1855	1950	1950
Interior Width, Front / Rear	1465 / 1433	1465 / 1433	1465 / 1433	1465 / 1433
Head Room, <small>R8 Spyder 5.2</small> Front / Rear	1000 / 990	1000 / 990 <small>R8 Spyder 5.2</small>	1000 / 990 <small>R8 Spyder 5.2</small>	1000 / 990 <small>R8 Spyder 5.2</small>
Leg Room, Front / Rear	1041 / 950	1041 / 950	1041 / 950	1041 / 950

Luggage Capacity (L), (Seats Up / Down)	540 / 1560	540 / 1560	540 / 1560	540 / 1560
Fuel Capacity (L)	75 R8 GT Coupé	75 R8 GT Coupé	75 R8 GT Coupé	75 R8 GT Coupé

Performance

	Q5 2.0 TFSI quattro Premium	Q5 2.0 TFSI quattro Premium Plus	Q5 3.2 FSI quattro	Q5 3.2 FSI quattro Premium
Top Speed, Electronically Limited (km/h)	209 km/h R8 GT Spyder	209 km/h R8 GT Spyder	209 km/h R8 GT Spyder	209 km/h R8 GT Spyder
Acceleration 0-100 km/h (sec.)	7.2	7.2	6.6	6.6
Towing Capacity (kg)	2000	2000	2000	2000
	S4	S4	S4	S4

Fuel Consumption

	Q5 2.0 TFSI quattro Premium	Q5 2.0 TFSI quattro Premium Plus	Q5 3.2 FSI quattro	Q5 3.2 FSI quattro Premium
City (L/100km)	10.6 S5 Coupé	10.6 S5 Coupé	11.5 S5 Coupé	11.5 S5 Coupé
Highway (L/100km)	7.7	7.7	9	9

Starting price (CAD)	\$41,200	\$45,300	\$45,500	\$49,900
-----------------------------	----------	----------	----------	----------