

2010 Jeep Commander	Sport (H74)	Limited (P74)
X – Standard P – Available within package noted O – Optional		
EXTERIOR		
Exterior Trim (grille, front fascia, rear fascia, bodyside moulding, sill moulding and licence plate brow) – Chrome grille with black texture bars, body colour front and rear fascia, chrome bodyside moulding, black sill mouldings and black licence plate brow	X	
Fender Flares – Body colour (premium style on Limited)	X	X
Glass – Tinted windshield, deep-tinted sunscreen on rear doors, rear quarter and liftgate windows	X	X
Lamps, Exterior – Automatic headlamps (ON/OFF) includes headlamps-on-with-wipers feature		X
Lamps, Exterior – Halogen headlamps	X	X
Lamps, Exterior – High-Intensity Discharge headlamps with automatic headlamp levelling system (LMP)		O
Lamps, Exterior – Round fog lamps integrated into front fascia, water resistant	X	X
Lamps, Exterior – SmartBeam™ intelligent headlamps		X
Liftgate – Power, remote operated		X
Liftgate – With fixed intermittent wiper/washer, flipper glass, electric defroster	X	X
Mirrors, Exterior – Power with memory, heated, foldaway, driver and passenger side auto-dimming, body colour		X
Mirrors, Exterior – Power, heated, foldaway, black	X	
Roof Rack – Black adjustable cross rails with 65 kg (150 lb.) capacity	X	X
Roof Rack – Black side rails for use as cargo-carrying base; includes two tie-down loops	X	
Roof Rack – Bright side rails for use as cargo-carrying base; includes two tie-down loops		X
Sunroof – Power with express-open/close and comfort-stop features and CommandView® dual skylights with sunshade (included in Sun/Sound Group)	P	X
Tires – P245/60R18 BSW All-terrain (included with 18-inch wheel)		P
Tires – P245/65R17 BSW All-terrain	X	X
Tires – Spare tire with full-size steel wheel	X	X
Wheels – 17-inch Aluminum	X	
Wheels – 17-inch Cast Aluminum		X
Wheels – 18-inch Aluminum chrome-clad (WPN)		O
Wipers – Front with variable intermittent mode and speed-sensitive; rear window wiper/washer with fixed intermittent feature	X	
Wipers – Rain-sensitive automatic wiper system with intermittent mode, speed-sensitive front wipers; rear window wiper/washer with fixed intermittent feature		X
OPTION GROUPS		
Four-Wheel-Drive System – Quadra-Drive II 4WD Group – Includes skid plates for fuel tank, transfer case and front suspension, tow hooks (two front/one rear), and Quadra-Drive II 4WD system (AWV)		O
Skid Plate Group – Fuel tank, transfer case, front suspension (included with Quadra-Drive II™)	P	P
Trailer Towing – Class II Trailer Tow Group includes frame-mounted hitch receiver, wiring harness with four-pin connector and Trailer Sway Control (requires V6 engine) (AHT)	O	
Trailer Towing – Class IV Trailer Tow Group includes frame-mounted hitch receiver, wiring harness with seven- and four-pin connections and Trailer Sway Control (requires V8 engine) (AHX)		O
INTERIOR		
Air Conditioning – Infrared dual-zone climate control with solar sensors and second row outlets		X
Air Conditioning – Manual temperature control with second row outlets	X	
Air Conditioning – Third row manual temperature control and outlet		X
Assist Handles – Front passenger and second row with integrated reading lamp	X	X
Cargo Area – Reversible floor panel with storage tray and storage bin, two cargo tie-down loops in quarter trim, netted cargo bin, cargo compartment storage	X	X
Consoles – Overhead with reading lamps, HomeLink®(2) controls and storage bin	X	X
Consoles – Front floor console with cup holders, storage net, four-slot coin holder and storage bin	X	X
Door Locks – Power with illuminated controls, speed-sensitive, programmable	X	X
Electronic Vehicle Information Centre (EVIC) – Equipped with customer programmable features including language, Metric/U.S. measures, door locks, memory (if equipped), Remote Keyless/Illuminated Entry, headlamp and wiper functions, service intervals, compass/temperature display and trip computer	X	X
Entertainment/Communication – DVD Video Entertainment System™ includes nine-inch overhead Rear Seat Video™ screen, remote control, two wireless headphones, and audio and video input jacks (requires DVD-capable radio)		O

2010 Jeep Commander	Sport (H74)	Limited (P74)
X – Standard P – Available within package noted O – Optional		
Entertainment/Communication – uconnect phone with Voice Command ⁽⁴⁾ (included with Sun/Sound Group and Media Centre 730N)	P	O/P
Floor Covering – Carpet	X	X
Floor Mats – First and second row	X	X
Glovebox – Locking	X	X
HomeLink Universal Transceiver ⁽²⁾ – Programmable radio frequency codes for garage door, security gate and security lighting		X
Instrument Cluster Display – 230-km/h primary	X	X
Jeep Memory System – Includes radio station presets, last station settings, driver's seat position, exterior mirrors, and accelerator and brake pedal settings for two drivers		X
Lamps, Interior – Glovebox lamp, courtesy door lamps, rear passenger overhead reading/courtesy lamps, cargo compartment lamp	X	X
Lamps, Interior – Illuminated Entry System; activated by Remote Keyless/Illuminated Entry or by pulling an exterior door handle	X	X
Mirrors, Interior – Auto-dimming rear-view (included with Sun/Sound Group)	P	X
Mirrors, Interior – Day/night rear-view	X	
Pedals – Power adjustable with memory		X
Power Accessory Delay	X	X
Power Accessory Outlet – 115-volt auxiliary power outlet		X
Power Accessory Outlet – Two 12-volt front auxiliary, one 12-volt rear cargo area	X	X
Radios – Boston Acoustics® Premium Sound System with six speakers includes two instrument panel-mounted 3.5-inch mid-range/tweeter hybrid speakers, two front door 6x9-inch woofers, two rear door 6.5-inch full-range speakers and a 276-watt amplifier with Digital Signal Processing (included with Sun/Sound Group)	P	X
Radios – Media Centre 130 CD/MP3 radio with Voice Command and audio jack	X	
Radios – Media Centre 430 CD/DVD/HDD radio with 6.5" touch screen, 30GB hard drive (6,700 song capacity), Voice Command, and audio jack		X
Radios – Media Centre 730N CD/DVD/HDD/NAV radio with 6.5" touch screen, GPS navigation, 30GB hard drive (4,250 song capacity), Uconnect Phone, Voice Command, and audio jack	P	O
Radios – SIRIUS™ Satellite Radio including one-year subscription	X	X
Radios – Six-speaker system includes two instrument panel-mounted 2.5-inch tweeters, two front door 6x9-inch full-range speakers and two rear door 6.5-inch full-range speakers	X	
Remote Keyless/Illuminated Entry – Operates door and liftgate locks and liftgate flipper glass release	X	X
Remote Start System		X
Seats – Cloth-faced premium, front low-back bucket	X	
Seats – Eight-way power driver memory, four-way front passenger power seat adjustment, manual driver and front passenger lumbar adjustment		X
Seats – Eight-way power driver's seat	X	
Seats – Heated front seats (included with Sun/Sound Group)		X
Seats – Heated second row seats	P	X
Seats – Leather-faced premium, front low-back bucket (included with Sun/Sound Group)	P	
Seats – Leather-faced with perforated leather inserts premium, front low-back bucket		X
Seats – Second row 40/20/40 seat bench with outboard reclining, fold and tumble section with head restraints and fold-down centre armrest with deployable cup holders	X	X
Seats – Third row 50/50 single-action split-folding seatbacks with outboard head restraints	X	X
Speed Control – Electronic with steering wheel-mounted controls	X	X
Steering Wheel – Leather-wrapped with audio controls (included in Sun/Sound Group)	P	X
Steering Wheel – Soft touch rim with audio controls	X	
Sun Visors – Dual with vanity mirror	X	
uconnect phone ⁽⁴⁾ with Voice Command and Universal Consumer Interface feature (included with Sun/Sound Group or Media Centre 730N)	P	O/P
Windows – Power, front one-touch down and up with pinch protection	X	X
PERFORMANCE		
3.7L V6 Five-Speed Automatic	26S	
5.7L HEMI V8 with VVT and MDS Multispeed Automatic	25S	25H
Alternator – 160-amp	X	X
Axle Ratio – 3.07:1 (included with 3.7L V6 engine)	X	
Axle Ratio – 3.73:1 (included with 5.7L V8 engine)	P	X
Axle Ratio – Limited-slip differentials, electronically controlled, front and rear (included with Quadra-Drive II Group)		P
Battery – 625-amp maintenance-free with Battery-Saver feature	X	X

2010 Jeep Commander	Sport (H74)	Limited (P74)
X – Standard P – Available within package noted O – Optional		
Brakes – Anti-lock four-wheel disc with Electronic Brake Force Distribution (EBD)	X	X
Electronic Stability Program (ESP™) ⁽³⁾ – Includes vehicle stability management system, Electronic Roll Mitigation (ERM), all-speed traction control, and four-channel anti-lock brake system	X	X
Engine Block Heater – Aids in cold weather starting	X	X
Four-Wheel-Drive System – Quadra-Drive II™ 4WD System – Includes Hill Descent Control, Hill Start Assist, front and rear electronic limited-slip differentials and Quadra-Drive II badge (included in Quadra-Drive II 4WD Group)		P
Four-Wheel-Drive System – Quadra-Trac II™ active 4WD includes NV245 transfer case (Hill Start Assist and Hill Descent Control) (included with 5.7L V8 engine)	P	X
Four-Wheel-Drive System – Quadra-Trac I™ ⁽⁵⁾ full-time single-speed 4WD includes NV140 transfer case	X	
Fuel Tank – 80L (17.6 imp. gal.) capacity with tethered fuel filler cap	X	X
Steering – Variable ratio, power-assisted rack and pinion steering with tilt/telescope steering column	X	X
Suspension – Front independent Short/Long Arm; rear five-link solid axle; front and rear stabilizer bars, coil springs and twin-tube gas-charged shock absorbers	X	X
Transmission – 545RFE multispeed automatic with electronic range selection, tow/haul feature and brake/park interlock (included with V8 engine)		X
Transmission – W5A580 five-speed automatic with electronic range selection, brake/park interlock and lockup torque converter (included with V6 engine)	X	
SAFETY		
Air Bags ⁽¹⁾ – Advanced multistage, driver and front passenger, inflate with a force appropriate to the severity of the frontal or near frontal impact	X	X
Air Bags ⁽¹⁾ – Advanced side-curtain, provide additional protection to front and rear outboard occupants in the event of a collision	X	X
Brake/Park Interlock – Cannot shift out of Park unless brake pedal is applied	X	X
Child Seat Anchor System (LATCH) – Helps ease the installation of compatible aftermarket child seats	X	X
Door Locks – Rear child protection	X	X
ParkSense® Rear Backup System ⁽⁶⁾ – With shut-off switch	X	X
ParkView® Rear Backup Camera ⁽⁶⁾ – Rear-facing camera that displays a view directly behind and low to the vehicle, that is often a blind spot. The camera is activated when the vehicle is shifted into Reverse (included with Sun/Sound Group)	P	X
Seat Belts – Height-adjustment, turning loops, pre-tensioning and load-limiting retractors for front shoulder belts, lap/shoulder belts for all seating positions	X	X
Sentry Key® Anti-theft Engine Immobilizer	X	X
Tire Pressure Monitoring Display – Features tire valve stem-mounted sensors that monitor and display (in EVIC) individual tire pressures for all four rotating tires and warns if pressure is lower or higher than preset range		X
Tire Pressure Monitoring Warning – Features tire valve stem-mounted sensors that monitor pressure and display warning in instrument cluster if pressure is lower or higher than preset range	X	
Vehicle Security System – Monitors doors, flipper glass and liftgate		X
<p>⁽¹⁾Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt properly positioned, dependent on the child's age and weight. ⁽²⁾Not compatible with all garage door openers. See your retailer for details. ⁽³⁾No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the instrument cluster flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt. ⁽⁴⁾Must use Bluetooth™ compatible mobile phone. ⁽⁵⁾Quadra-Trac I is not appropriate for conditions or situations where low range is required, such as severe off-road driving conditions. ⁽⁶⁾Intended to provide assistance to the driver. Always exercise appropriate care while reversing.</p>		
X – Standard P – Available within package noted O – Optional		